

**Department of Prosthodontics and Crown and Bridge
Publications from 2017-2023**

Faculty Name and designation	Title of Research Paper/Book Chapter/etc	Name and sequence of all authors as published	Name of the Journal and its details	Year of Publication	Available in UGC care List	Indexed in Scopus	Indexed in Web of Science	Indexed in PubMed	DOI No.	Research gate Link
Dr.Ajay Sabane Professor and Head	Impression Making InFixed Partial Denture:TraditionalOrGoDigital?	Ajay Sabane, ManaswitaYadv,Rohit Thorat,Ravikiran Asabe	IIOABJournal 8(5)38-43	2017	No	No	Yes	No	-	https://www.iioab.org/IIOABJ.8.5_38-43.pdf
	Rehabilitation of PartialMaxillectomy Patient with a Bar and Stud RetainedHollowBulbObturator:ACaseReport	B Kalsekar, P Gandhi, AVSabane,SS Patil	International Journal ofProsthodontics andRestorative Dentistry9(4), 134-138	2019	No	yes	No	No	:10.5005/jp-journal-10	https://www.researchgate.net/publication/340653868_Rehabilitation_of_Partial_Maxillectomy_Patient_with_a_Bar_and_Stud_Retained_Hollow_Bulb

									01 91 25 0	b Obturator A Case Report
	Evaluation of the Vertical Marginal Fit of CAD/CAM Zirconia, Pressable Lithium Disilicate, CAD-CAM Cobalt Chromium and Direct Metal Laser Sintered Cobalt Chromium Copings- An In vitro Comparative Analysis	KANDI, NIKIT A; SABANE, AJAY; PATIL, ABHIJIT	Journal of Clinical and Diagnostic Research 14(7), 30-36	2020	No	No	Yes	No	10.7860/JC DR/2020/44354.13872	https://www.researchgate.net/publication/347791147_Evaluation_of_the_Vertical_Marginal_Fit_of_CAD-CAM_Zirconia_Pressable_Lithium_Disilicate_CAD-CAM_Cobalt_Chromium_and_Direct_Metal_Laser_Sintered_Cobalt_Chromium_Copings-An_In_vitro_Comparative_Analysis
	Comparative evaluation of the virtual planned position and actual position of implant in mandibular posterior region using a DIOnavi system:	Kanchan Jetharam Solanki, Prathamesh Fulsundar, Mrunal Heganna, Athira Nair, Ajay Sabane (Corresponding Author)	International Journal of Health Sciences, 6(S5), 2197-2209	2022	NO	Yes	NO	NO	10.53730/ijhs.v6n5.9127	https://scienceschol.ar.us/journal/index.php/ijhs/article/view/9127

	An in-vivo study	onding Author), Harshvardhan Sawant								
	In Vitro Comparative Evaluation of Bond Strength of CAD/CAM Monolithic Zirconia Copings Influenced by Luting Agents and Finish Line Design	Siddhi SSardar, Ajay VS abane, Rupali V Patil, Rajashree D Jadhav, Abhijit A Patil, Charushila SSardar	The Journal of Contemporary Dental Practice	2022	no	Yes	no	yes	10.50 05/ jp- jou rna ls- 10 02 4- 32 55	https://www.thejcdp.com/abstractArticleContentBrowse/JCDP/19/23/3/28611/abstractArticle/Article

	Comparative evaluation of flexural strength of denture base resin materials processed using compression molding technique, injection molding technique, and computer-aided design CAM technique: An invitro study	Rutika C. Patankar, Vijaysinh More, Rajashree Jadhav, Ajay Sabane, Pankaj Kadam, Arti Gachhake	Dental Research Journal ;19:(1)100-109 eCollection 2022.	2022	No	Yes	No	Yes	10.4103/1735-3327.361360	https://www.drrjournal.net/article.asp?issn=1735-3327;year=2022;volume=19;issue=1;spage=100;epage=100;aulast=Patankar;type=0
Dr. Paresh Gandhi Professor	A low-profile universal attachment system with housing welded to metal reinforcement framework to retain mandibular implant overdenture: A Clinical Report	Paresh Gandhi, Bhagyshree Kalsekar, Abhijit Patil, Nikita Kandi	The Journal of Indian Prosthodontic Society. Vol 19, Issue 4. 2019	2019	Yes	Yes	Yes	Yes	DOI: 10.4103/jips.jips.12919	https://www.researchgate.net/publication/336405593_A_low-profile_universal_attachment_system_with_housing_welded_to_metal_reinforcement

										framework to retain mandibular implant overdenture A clinical report
	Rehabilitation of Partial Maxillary Patient with a Bar and Stud Retained Hollow Bulb Obturator: A Case Report	B Kalsekar, P Gandhi, AV Sabane, SS Patil	International Journal of Prosthodontics and Restorative Dentistry 9(4), 134-138	2019	No	Yes	No	No	10.5005/journal-100191250	https://www.researchgate.net/publication/340653868 Rehabilitation of Partial Maxillary Patient with a Bar and Stud Retained Hollow Bulb Obturator A Case Report
	Aging resistance of infiltrated monolithic zirconia compared to non-infiltrated monolithic zirconia	Aditi Aneesh Kanitkar, Paresh Gandhi 1, Aneesh Kanitkar, S. Vishnu Priya, Sujatha	The Journal of Indian Prosthodontic Society 22(2) 131-142	June 2021 - May 2022	NO	Yes	Yes	Yes	DOI: 10.4103/jips.jips_437_21	https://journals.lww.com/jips/Fulltext/2022/22020/Aging_resistance

	ia: A systematic review of invitro studies	Paranna, Seema Patil								of infiltrated monolithic.4.aspx
Dr. Vijay Sinh More Professor	Comparison of Marginal Fit of Metal Copings in Two Different States with and without Using Ring Liners: An In Vitro Study	Pankaj PKadam, Rupali Patil, Arti Gachake, Vijaysinh More, Harshwar dhan, Sawant Bhagya shree, Kalsekar	The Journal of Contemporary Dental Practice 2021; 22(11): 1262-1267	2022	no	Yes	No	NO	https://www.thejcdp.com/doi/10.5005/jp-journals-10024-3180	https://www.thejcdp.com/doi/10.5005/jp-journals-10024-3180
	Comparative evaluation of flexural strength of denture base resin materials processed using compression molding technique, injection molding technique	Rutika C. Patankar, Vijaysinh More, Rajashree Jadhav, Ajay Sabane, Pankaj Kadam, Arti Gachake	Dental Research Journal; 19:(1)100-109 eCollection 2022.	2022	No	Yes	No	Yes	10.4103/1735-3327.361360	https://www.drrjournal.net/article.asp?issn=1735-3327;year=2022;volume=19;issue=1;spage=100;epage=1

Dr.Vasantha Vijayaraghavan Professor	Prosthetic management of a patient with an ocular defect case report 3rd author Case report (3rd author)	Dr.Ojasvi, Dr.S.V.Bhide, Dr.Vasantha Vijayaraghavan, Dr.Nikita Kandli	Indian Journal of Multidisciplinary Dentistry Volume : 5 Issue : 2 Page : 94-96 institutional journal	2017	yes	No	No	No	DOI: 10.4103/ijmd.ijmd_58_16	https://www.researchgate.net/publication/362518928_CASE_REPORT_Prosthetic_management_of_a_patient_with_an_ocular_defect
	A novel method to stabilize transfer copings in open-tray technique case report 1st author Case report 1st author	Dr.Vasantha, Dr.Shantanu, Dr.Priyale, Dr.Rupali		2019	yes	No	-	-	DOI: 10.4103/ijmd.ijmd_48_19	https://www.ijmdent.com/article.asp?issn=2229-6360;year=2019;volume=9;issue=2;spage=126;epage=127;aulast=Vijayaraghavan
	<u>Evaluation and comparison of</u>	Dr.Vasantha							10.100	

	<p>tensile bond strength of addition silicone impression material with different tray adhesives- 1st author</p>	<p>vijayaraghavan, Dr.RupaliPatil,Dr.SeemaPatil,Dr.Pankaj Kadam</p>		<p>2019</p>	<p>yes</p>	<p>No</p>	<p>-</p>	<p>yes</p>	<p>7/s13191-012-0139-4</p>	<p>https://pubmed.ncbi.nlm.nih.gov/24293916/</p>
	<p>Color Stability of Provisional restorative materials, Original research book, 3rd author</p>	<p>Dr.Darshana, Dr.Prakash, Dr.Vasanthavijayaraghavan</p>	<p>LAP Lambert Academic publishing 1,1</p>	<p>2020</p>	<p>no</p>	<p>NO</p>	<p>-</p>		<p>-</p>	<p>https://www.researchgate.net/publication/362530705_Color_Stability_Of_Provisional_Restorative_Materials</p>
	<p>Evaluation and comparison of tensile bond strength of addition silicone impression material with different custom tray materials using different retentive</p>	<p>Dr.rupali, dr. Vasantha, Dr. shwetha jaju, Dr.chetana, Dr.Madhura</p>		<p>2021</p>	<p>yes</p>	<p>No</p>	<p>-</p>	<p>yes</p>	<p>PMID:34210929</p>	<p>https://pubmed.ncbi.nlm.nih.gov/34210929/</p>

	methodsoriginal research, 2nd author									
	Fracture of Implant Prosthesis At Implant Neck-A Rare Phenomenon (Case Report) 1st Author	Dr. Vasantha vijayaraghavan, dr. Priya Lale, Dr. rupali, Dr. Darshana	Indian Journal of Forensic Medicine and Toxicology, April- June 2021; 15 (2): 1189-1192 Scopus	2021	yes	Yes	-	--	DOI: https://doi.org/10.37506/ijfmt.v15i2.14482	https://www.researchgate.net/publication/362518687_Fracture_of_Implant_Prosthesis_at_Abutment_Neck-A_Rare_Phenomenon
	Comparative Evaluation Of Accuracy And Repeatability Between Digital And Visual Methods Of Shade Matching Using Emax Crowns; An In-Vivo Study	Dr. Aditi Jagtap, Dr. Gandhi, Dr. Mrunal Heganna, Dr. Vasantha Vijayaraghavan	Journal of Pharmaceutical Negative Results	2022	-	yes	-	--	DOI: https://doi.org/10.47750/pnr.2022.13.S09.378	https://www.pnrjournal.com/index.php/home/article/view/3998

	Comparative Evaluation Of The Marginal Fit Of Emax Crown Fabricated With Cad Cam Technology Using Digital Impression And Conventional Impression: An In Vivo Study 2nd author	Dr. Mrunal Heganna, Dr. Vasantha Vijayarghan, Dr. Aditijagtap, Dr. Darshana Mundhe	Journal of Pharmaceutical Negative Results	2022	-	yes	-	--		https://www.researchgate.net/publication/365823030_Comparative_Evaluation_Of_The_Marginal_Fit_Of_Emax_Crown_Fabricated_With_Cad_Cam_Technology_Using_Digital_Impression_And_Conventional_Impression_An_In_Vivo_Study
--	--	--	--	------	---	-----	---	----	--	---

	Dental Implant	Dr.RupaliPatil, Dr.Darshana Mundhe	LAP Lambert Academicp ublishing	2022	-	No				https://www.researchgate.net/publication/362519997_dental_Implant
	Simultaneous placement of direct and indirect transfer copings at implant level impression- A case report	Dr. Vasantha Vijayaraghavan, Dr. Darshana Dr. Dhanraj, Dr. Rupali Patil	University journal of dental sciences	2022	yes	No	-		DOI: https://doi.org/10.21276/ujds.2022.8.3.15	https://www.researchgate.net/publication/365822806_Simultaneous_Placement_of_Direct_and_Indirect_Transfer_Copings_in_Implant_Level_Impression_A_Case_Report
Dr. Rajashree Jadhav, Professor	Nanomaterials: A Boon to Prost	Rajashree Jadhav	Springer Link International book	2019	NO	No	NO	NO	10.1007/978-3-319-97634-	https://link.springer.com

	odontics								1_6	er.com/chapter/10.1007/978-3-319-97634-1_6
	Review Article: COVID-19: Implications on dental profession and precautionary guidelines 1st author	Rajashree Jadhav, Arati Gachake	Dental Research Journal	2021	yes	No	no	Yes	--	https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8174456/
	In Vitro Comparative Evaluation of Bond Strength of CAD/CAM Monolithic Zirconia Copings Influenced by Luting Agents and Finish Line Design	Siddhi S Sardar, Ajay V Sabane, Rupali V Patil, Rajashree D Jadhav, Abhijit A Patil, Charushila S Sardar	The Journal of Contemporary Dental Practice	2022	no	Yes	no	yes	10.5005/jp-journals-10024-3255	https://thejcdp.com/doi/JCDP/pdf/10.5005/jp-journals-10024-3255

	Comparative evaluation of flexural strength of denture base resin materials processed using compression molding technique, injection molding technique, and computer-aided design CAM technique: An in vitro study	Rutika C. Patankar, Vijaysinh More, Rajashree Jadhav, Ajay Sabane, Panakaj Kadam, Arti Gachake	Dental Research Journal; 19:(1)100-109 eCollection 2022.	2022	No	No	No	Yes	10.4103/1735-3327.361360	https://www.drjjournal.net/article.asp?issn=1735-3327;year=2022;volume=19;issue=1;page=100;epage=100;aulast=Patankar;type=
Dr. Abhijit Patil, Associate Professor	A low-profile universal attachment system with housing welded to metal reinforcement framework to retain mandibular implant overdenture: A Clinical Report.	Paresh Gandhi, Bhagyashree Kalsekar, Abhijit Patil, Nikita Kandi	The Journal of Indian Prosthodontic Society. Volume 119, Issue 4. 2019	2019	Yes	Yes	Yes	Yes	https://doi.org/10.4103/2349-2737.129119	https://www.researchgate.net/publication/336405593_A_low-profile_universal_attachment_system_with_housing_welded_to_metal_reinforcement_framework_to_retain_mandibular_implant_overdenture_A_clinical_report

	<p>Evaluation of vertical marginal fit of CAD-CAM zirconia, Pressable lithium disilicate, CAD-CAM Cobalt chromium, Direct machine laser sintered cobalt chromium copings: An In-vitro Comparative Analysis.</p>	<p>KANDI, NIKITA, SABANE AJAY, PATIL ABHIJIT</p>	<p>Journal of Clinical and Diagnostic Research 14(7), 30-36</p>	<p>2020</p>	<p>No</p>	<p>No</p>	<p>Yes</p>	<p>No</p>	<p>10.7860/JC DR/2020/44354.13872</p>	<p>https://www.researchgate.net/publication/347791147_Evaluation_of_the_Vertical_Marginal_Fit_of_CAD-CAM_Zirconia_Pressable_Lithium_Disilicate_CAD-CAM_Cobalt_Chromium_and_Direct_Metal_Laser_Sintered_Cobalt_Chromium_Copings-An_In_vitro_Comparative_Analysis</p>
	<p>Fabrication of Maxillary Obturator using combination of PEEK, Acrylic resin, and silicon: A Case Report</p>	<p>Dr. Abhijit Patil, Dr. Bhagyashree Kalsekar, Dr. Saniya Karsat, Dr. Seema Patil</p>	<p>International Journal of Prosthodontics and Restorative Dentistry Vol 12, Issue 1, January - March 2022</p>	<p>2022</p>	<p>-</p>	<p>Yes</p>	<p>No</p>	<p>No</p>	<p>10.5005/jp-journals-10019-1357</p>	<p>https://www.ijopr.com/abstractArticleContentBrowse/IJOPR/15/12/1/29993/abstractArticle</p>

	In Vitro Comparative Evaluation of Bond Strength of CAD/CAM Monolithic Zirconia Copings Influenced by Luting Agents and Finish Line Design	Siddhi SSardar, Ajay VSabane, Rupali V Patil, Rajashree D Jadhav, Abhijit A Patil, Charushila SSardar	The Journal of Contemporary Dental Practice	2022	no	Yes	No	Yes	10.5005/jp-journals-10024-3255	https://thejcdp.com/doi/JCDP/pdf/10.5005/jp-journals-10024-3255
Dr Rupali Patil Associate Professor	Evaluation and comparison of tensile bond strength of additions silicone impression material with different custom tray materials using different retention methods.	Rupali V Patil, Vasantha Vijayraghavan, Madhura Kad Jadhav, Shweta Jajoo, Sneha Desai, Chetana Jagtap	The Journal of Contemporary Dental Practice 2021; 22(3): 278-283.	2021	—	yes	No	No	-	https://pubmed.ncbi.nlm.nih.gov/34210929/

	Fracture of implant prosthesis at abutment neck-A rare phenomenon	Vasantha Vijayaraghavan, Priya Lele, Rupali Patil, Darshana Mundhe	Indian journal of forensic medicine & toxicology. 15;2:2021.1189-1192	2021	No	No	Yes	Yes	10.4103/2231-0762.178747	https://medicopublication.com/index.php/ijfmt/article/view/14482
	Construction Bite for Myofunctional Appliances (Ebook)	Madhura Kadam, Rupali Patil, Avinash Jadhav	Lambard Publication	2021	No	No	-	No	-	-
	Comparison of Marginal Fit of Metal Copings in Two Different States with and without Using Ring Liners: An In Vitro Study	Pankaj P Kadam, Rupali Patil, Arti Gachake, Vijaysinh More, Harshwardhan Sawant, Bhagyashree	The journal of contemporary dental practice 2021; 22(11) 1262-1267	2022	No	yes	No	NO	10.4103/ijmd.ijmd_47_19	https://www.ijmdent.com/article.asp?issn=2229-6360;year=2019;volume=9;issue=2;spage=90;epage=93;aulast=Vijayaraghavan;type=0

		Kalsekar								
	In Vitro Comparative Evaluation of Bond Strength of CAD/CAM Monolithic Zirconia Copings Influenced by Luting Agents and Finish Line Design	Siddhi SSardar, Ajay VSabane, Rupali V Patil, Rajashree D Jadhav, Abhijit A Patil, Charushi la SSardar	The journal of contemporary dental practice. 2022; 23(3) 343-350	2022	No	YES	No	YES	10.5005/jp-journals-10024-3255	https://www.drjournal.net/article.asp?issn=1735-3327;year=2022;volume=19;issue=1;page=100;epage=100;aulast=Patankar;type=
	Dental Implant An Overview (EBook)	Rupali Patil, Vasantha Vijayraghavan, Darshana Mundhe	Lambard Publication	2022	No	-	No	No	-	-
	Bond strength between different	Rupali Patil, Vasantha Vija	Lambard Pu	202		-	No	No	-	-

	tray resin and elastomers (E BOOK)	yraghavan, Darshana Mundhe	blication	2	No					
	Importance of primary dentition in children from parental perspective: A clinical study	Rupali Patil	International Journal of Early Childhood Special Education (INT-JECSE) ISSN: 1308-5581 Vol 14, Spl Issue 01, 2022	2022	No	Yes	No	No	-	https://www.researchgate.net/publication/362945464_Importance_of_primary_dentition_in_children_from_parental_perspective_A_clinical_study
	Comparative Evaluation of Retention and Vertical Marginal Accuracy of Co-Cr Copings Fabricated Using Three Different Techniques: An In Vitro Study	Bhagyashree G Kalsekar, Paresh V Gandhi, Rupali Patil, Ajay V Sabane, Pankaj PKadam, Nishita SBh	The Journal of Contemporary Dental Practice (2022): 10.5005/jp-journals-10024-3399	2022	No	Yes	no	NO	10.5005/JC DP	https://www.thejcdp.com/doi/JCDP/pdf/10.5005/jp-journals-10024-3399

		osale								
Dr.Pankaj Kadam, Associate Professor	Covid 19 Pandemic in India:Tackling the Situation and Supporting the Auxillary staff.	Vikrant Sane, Rashmi Sane, Pankaj Kadam	J Craniofac Surg. Vol32, Issue 2	2021	No	NO	yes	yes	10.1097/SCS.00000000000000007009	https://pubmed.ncbi.nlm.nih.gov/33705042/
	Comparison of Marginal Fit of Metal Copings in Two Different States with and without Using Ring Liners: An In Vitro Study. (First author)	Pankaj P Kadam, Rupali Patil, Arti Gachake, Vijaysinh More, Harshwardhan Sawant, Bhagyashree Kalsekar	The Journal of Contemporary Dental Practice, 22(11)	2022	No	NO	No	yes	10.5005/jp-journals-10024-3180	https://thejcdp.com/abstractArticleContent/Browse/JCDP/19/22/26868/abstractArticle/Article
	Evaluation of the Bond Strength of Cross - Linked Acrylic Resin Teeth with Heat and Auto Polymerized Denture Base		Indian Journal of Multidisciplinary Dentistry, Vol 9, Issue 2.	2020	yes	NO	No	No		

of different investment techniques and pattern materials on surface roughness of raw Ni-Cr castings- An In-Vitro study.	Aditi Aneesh Kanitkar, Aneesh Shriram Kanitkar, Rutuparna S. Sasane, Seema S. Patil, Swapnil R. Chopade, Seema Vaidya	The Journal of Indian Prosthodontic Society	June 2020-May 2021	No	yes	No	Yes	DOI: 10.4103/jips.jips_202_19	https://pubmed.ncbi.nlm.nih.gov/32089605/
Aging resistance of infiltrated monolithic zirconia compared to non-infiltrated monolithic zirconia: A systematic review of in vitro studies	Aditi Aneesh Kanitkar, Pareesh Gandhi, Aneesh Kanitkar, S. Vishnu Priya, Sujatha Paranna, Seema Patil	The Journal of Indian Prosthodontic Society 22(2) 131-142	June 2021-May 2022	NO	NO	Yes	Yes	10.4103/jips.jips_437_21	https://pubmed.ncbi.nlm.nih.gov/36511024/
Fabrication of Maxillary Obturator using combination of PEEK, acrylic resin and silicone: A case report	Abhijit Patil, Bhagyashree Kalsekar, Saniya Kasat, Seema Patil	International journal of prosthodontics and restorative dentistry 12(1),	June 2022-May 2023	No	Yes	NO	No	10.5005/jp-journals-10019-1357	https://www.ijopr.com/abstractArticleContentBrowse/IJOPRD/15/12/1/29993/abstractArticle/Article

			46-50							
Dr. Vasanthi Swami, Assistant Professor	covid - 19; implications on dental profession and precautionary guidelines-review-	Dr. Rajashri Jadhav, Dr. Artigachake	dental research journal (pubmed)	2021	NO	NO	no	YES		https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8174456/
	phonetic considerations in Prosthodontics - Rehabilitation of Speech	Vasanthi Swami, Vinit Swami	Lambert Academy Publishing	2021	NO	NO	No	No		
	Iatrogenic effects of Orthodontic Treatment	Vasanthi Swami, Vinit Swami	Lambert Academy Publishing	2021	NO	NO	No	No		
	Evolution of		international							

	Othodonticsuperimposition from 2Dto3D	Akanksha Goel, VinitSwami, VasanthiSwami	Journal of dental science andinnovativere search (IJDSIR)	2022	NO	NO	no	yes		
Dr.Darshana Mundhe, Assistant Professor	Re:Covid19:collateral damage of lockdown inIndia (Editorial)3rdAuthor	Prakash s Kalke, Ms NehaAhire, Dr DarshanaMundhe	The BMJm(1711),369	2020	No		No	Yes	m1711,369	https://www.bmj.com/content/369/bmj.m1711/rr-2
	Fracture of ImplantProsthesis AtImplantNeck- ARarePhenomenon(CaseReport) 4thAuthor	Dr.Vasanthavi jayaraghavan, Dr.PriyaLele, DrRupali Patil, Dr.Darshana Mundhe	Indian Journal of ForensicMedicine and Toxicology, April-June2021;15 (2): 1189-1192	2021	No	yes	No	No	DOI: https://doi.org/10.37506/ijfmt.v15i2.14482	https://medicopublication.com/index.php/ijfmt/article/view/14482
	Openbite Diagnosis	Ananad	LAP Lambert	2021	No		No	No	No	

	and Treatment Modalities (Book) Co Author	Bhansali, Madhura Jadhav, Darshana Mundhe	Academic publishing 1,1							
	One stage indirect sinus augmentation: A Clinical Report (Case Report)	Dr Darshana Mundhe, Dr Prakash Kalke, Dr Vasanth Vijayaraghavan, Dr Madhura Jadhav	University Journal Of Dental Sciences	2021	yes		No	No	DOI: https://orcid.org/10.21276/ujds.2022.8.1.20	https://www.ujds.in/index.php/ujds/article/view/635
	PATENT ADP- Process Method which uses Acetaminophen to solve Aesthetic Dental Problems	Dr Madhura A Jadhav, Dr Rupali Patil, Dr Darshana Mundhe,	Indian Patent Office Application number 2022 21036376	2022	No		No	No		https://ipi.india services.gov.in/PublicSearch/PublicationSearch/ApplicationStatus
	Dental Implant- An Overview (Book) Co Author	Dr Rupali Patil, Dr Vasanth Vijayaraghavan, Dr Darshana Mundhe	LAP Lambert Academic publishing 1,1	2022	No		No	No		

	Bond Strength Between Different Tray Resins and Elastomer (Book) Co Author	Dr Rupali Patil, Dr Darshana Mundhe, Dr Vasantha Vijayaraghavan	LAP Lambert Academic Publishing 1,1	2022	No		No	No		
	Simultaneous placement of Direct and indirect transfer copings in Implant level impression: A Case report	Dr Preet, Dr Vasantha, Dr Darshana Mundhe, Dr Rupali Patil	University Journal Of Dental Sciences	2022	Yes		No	No	DOI: https://doi.org/10.21276/ujds.2022.8.3.15	https://www.ujds.in/index.php/ujds/article/view/748
Dr. Arti Gachake, Assistant Professor	Temporomandibular joint enigma: A know all about TMJ health and disorders	Arti Gachake	Blue Rose Publishers Delhi	2021	NO	NO	No	No		
	COVID-19 Implications on dental	Rajashree Jadhav, Arti Gachake, V	Dent Res J 2021 18:11,	2021	Yes	NO	NO	YES		

	profession and precautionary guidelines,	asanthiSwami, AbhishekJadhav	March							https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8174456/
	evaluation of bond strength of cross linked resin teeth with heat and autopolymerized denture base resins after different surface	ArtiGachake, ArtiGachake, Rupali Patil, Pankaj Kadam, Meena Tejpal Tejan, Rajashree Jadhav	International journal of science and research vol 10 issue 8	2021	yes	NO	NO	No		https://www.academia.edu/75888981/Evaluation_of_the_Bond_Strength_of_Cross_Linked_Acrylic_Resin_Teeth_with_Heat_and_Auto_Polymerized_Denture_Base_Resins_after_Different_Surface_Treatments_A_Comparativ
	Management of Long-span Kennedy's class IV situation with a fixed removable prosthesis	Neelufar. S. Rajashree Jadhav, Arti Gachake, Harshwardhan Sawant	Journal of clinical prosthodontics and implantology institutional journal vol 3 issue 8	2021	Yes	NO	NO	No		
	Comparison of Marginal Fit of	Pankaj P Kadam,	The Journal of							

	Metal Copings in Two Different States with and without Using Ring Liners: An In Vitro Study. (First author)	Rupali Patil, Arti Gachake, Vijaysinh More, Harshwardhan Sawant, Bhagyashree Kalsekar	Contemporary Dental Practice, 22(11)	2022	No	YES	No	yes	10.5005/jp-journals-10024-3180	https://www.thejcdp.com/doi/JCDP/pdf/10.5005/jp-journals-10024-3180
Dr. Bhagyashree Kalsekar, Assistant Professor	A low-profile universal attachment system with housing welded to metal reinforcement framework to retain mandibular implant overdenture: A Clinical Report.	Paresh Gandhi, Bhagyashree Kalsekar, Abhijit Patil, Nikita Kandi	The Journal of Indian Prosthodontic Society. Vol 19, Issue 4. 2019	2019	Yes	YES	Yes	Yes	https://doi.org/10.4103/2Fjips.jips.129.19	https://www.researchgate.net/publication/336405593_A_low-profile_universal_attachment_system_with_housing_welded_to_metal_reinforcement_framework_to_retain_mandibular_implant_overdenture_A_clinical_report?
	Rehabilitation of Partial Maxillary Patient with a Bar and Stud Retained Hollow Bulb Obturator: A Case Report	B Kalsekar, P Gandhi, AV Sabane, SS Patil	International Journal of Prosthodontics and Restorative Dentistry 9(4),	2019	No	YES	No	No	10.5005/jp-journals-100191250	https://www.researchgate.net/publication/340653868_Rehabilitation_of_Partial_Maxillectomy_Patient_with_a_Bar_and_Stud_Retained_Hollow

			134-138							Bulb Obturator A Case Report
	Comparison of Marginal Fit of Metal Copings in Two Different States with and without Using Ring Liners: An In Vitro Study. (First author)	Pankaj P Kadam, Rupali Patil, Arti Gachake, Vijaysinh More, Harshwardhan Sawant, Bhagyashree Kalsekar	The Journal of Contemporary Dental Practice, 22(11)	2022	No	YES	No	yes	10.5005/jp-journals-10024-3180	https://www.thejcdp.com/doi/JCDP/pdf/10.5005/jp-journals-10024-3180
	Implant retained overdentures using OTequator attachments: A case series	Sheth, D. D., Jha, S. C., Bhagyashree, K., Dodamani, A.P., Heganna, M., & Wani, U.	International Journal of Health Sciences,	2022	no	YES	No	No	https://doi.org/10.53730/ijhs.v6nS1.8567	https://sciencescholar.us/journal/index.php/ijhs/article/view/8567
	Fabrication of Maxillary Obturator using combination	Abhijit Patil, Bhagyashree Kalsekar, Saniya	International journal of prosthodontics	June 2022-	No	YES	Yes	No	10.5005/jp-journals-	https://www.jaypeed

	of PEEK, acrylic resin and silicone: A case report	Kasat, Seema Patil	tics and restorative dentistry 12(1), 46-50	May 2023					10019-1357	digital.com/abstractArticleContentBrowse/IJOPRD/15/12/1/29993/abstractArticle/Article
	Comparative Evaluation of Retention and Vertical Marginal Accuracy of Co-Cr Copings Fabricated Using Three Different Techniques: An In Vitro Study	Bhagyashree G Kalsekar, Paresh V Gandhi, Rupali Patil, Ajay V Sabane, Pankaj PKadam, Nishita SBhosale	The Journal of Contemporary Dental Practice (2022): 10.5005/jp-journals-10024-3399	2022	No	YES	no	NO	10.5005/jp-journals-10024-3399	https://www.thejcdp.com/doi/JCDP/pdf/10.5005/jp-journals-10024-3399
	SARS-CoV-2 AND MUCORMYCOSES: A REVIEW	Nishita Bhosale, Amol Jamkhande, Bhagyashree Kalsekar, Nishita Gavali, Vivek Nair, Alok Ranjan	Neuroquantology volume: 20 issue: 9	2022	No	YES	No	NO	DOI:10.14704/nq.2022.20.8.NQ44393	https://www.neuroquantology.com/article.php?id=5285